PALM Intr	ranet	÷			·		
Application Number	1	S	ubmit			***************************************	
IDS Flag C	learance for	Application	10797007				
	Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer	
	Update			er out to the second of the se			

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		((generat\$3 with first with (error near (detect\$3 cod\$3))) and ((generat\$3 with second with (error near (detect\$3 cod\$3))) and (((exclusive near "OR") "XOR") with first with second with error with cod\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 17:14
		((generat\$3 with first with (error near (detect\$3 cod\$3))) and ((generat\$3 with second with (error near (detect\$3 cod\$3))) and (((exclusive near "OR") "XOR") with first with second with error with cod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 17:14
	·	((generat\$3 with first with (error near (detect\$3 cod\$3))) and ((generat\$3 with second with (error near (detect\$3 cod\$3))) and (((exclusive near "OR") "XOR") with first with second with error with cod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/10/01 17:13
		((exclusive near "OR") "XOR") with (first second third) with ((error near\$3 cod\$3) (parity near (inner outer)) (PO PI)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 17:09
		(generat\$3 calculat\$3) with (first second) with (error near (cod\$3 detect\$3 correct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 16:42
,		((first adj error adj (detect\$3 correct\$3 cod\$3)) with (main sector)) same ((second adj error adj (detect\$3 correct\$3 cod\$3)) with (main sector)) same (XOR (exclusive adj "OR"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 20:28
		(((generat\$4 calculat\$3) near ((error near cod\$3) parity) with (first and second))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/01/03 15:18
		((generat\$4 near (error adj detection adj cod\$3)) and (first with cod\$3 with main)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 19:46
		(\(generat\$4 near (error adj detection adj cod\$3)) with ID) and (exclusive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 15:23

L1	7865	(generat\$3 calculat\$3) with (first second) with (error near (cod\$3 detect\$3 correct\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/10/01 16:42
L2	1780	714/758.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 17:07
L3	1135	714/800.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 16:42
L4	354	714/799.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 16:42
L5	2120	((exclusive near "OR") "XOR") with (first second third) with (error near\$3 cod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 17:08
L6	2165	((exclusive near "OR") "XOR") with (first second third) with ((error near\$3 cod\$3) (parity near (inner outer)) (PO PI))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 17:10
L7	2165	((exclusive near "OR") "XOR") with (first second third) with ((error near\$3 cod\$3) (parity near (inner outer)) (PO PI)((c1 adj (encoder code coder encoded encoding coded coding) and c2 adj (encoder code coder encoded encoding coded coding)) ("c.sub.1" adj (encoder code coder encoded encoding coded coding) and "c.sub.2" adj (encoder code coder encoded encoding coded coding)) (inner adj (encoder code coder encoded encoding coded coding) and (outer outter) adj (encoder code coder encoded encoded encoding coded coding) (P adj (encoder code coder encoded encoding coded coding) and Q adj (encoder code coder encoded encoding coded coding))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 17:10

L8	330	((exclusive near "OR") "XOR") with (first second third) with ((error near\$3 cod\$3) (parity near (inner outer)) (PO PI)((c1 adj (encoder code coder encoded encoding coded coding) and c2 adj (encoder code coder encoded encoding coded coding)) ("c.sub.1" adj (encoder code coder encoded encoding coded coding) and "c.sub.2" adj (encoder code coder encoded encoding coded coding)) (inner adj (encoder code coder encoded encoding coded coding) and (outer outter) adj (encoder code coder encoded encoded encoding coded coding)) (P adj (encoder code coder encoded encoding coded coding) and Q adj (encoder code coder encoded encoding coded coding)))).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 17:11
L9	612	((exclusive near "OR") "XOR") with (first second third) with ((error near\$3 cod\$3) (parity near (inner outer)) (PO PI)((c1 adj (encoder code coder encoded encoding coded coding) and c2 adj (encoder code coder encoded encoding coded coding)) ("c.sub.1" adj (encoder code coder encoded encoding coded coding) and "c.sub.2" adj (encoder code coder encoded encoding coded coding)) (inner adj (encoder code coder encoded encoding coded coding) and (outer outter) adj (encoder code coder encoded encoded encoding coded coding)) (P adj (encoder code coder encoded encoding coded coding) and Q adj (encoder code coder encoded encoding coded coding)))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 17:11

L10	. 2	((exclusive near "OR") "XOR") with (first second third) with ((error near\$3 cod\$3) (parity near (inner outer)) (PO PI)((c1 adj (encoder code coder encoded encoding coded coding) and c2 adj (encoder code coder encoded encoding coded coding)) ("c.sub.1" adj (encoder code coder encoded encoding coded coding) and "c.sub.2" adj (encoder code coder encoded encoding coded coding)) (inner adj (encoder code coder encoded encoding coded coding) and (outer outter) adj (encoder code coder encoded encoded encoding coded coding) (P adj (encoder code coder encoded encoding coded coding) and Q adj (encoder code coder encoded encoding coded coding)))).clm. and (correct\$3 near constant)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 17:11
L11	0	((exclusive near "OR") "XOR") with (first second third) with ((error near\$3 cod\$3) (parity near (inner outer)) (PO PI)((c1 adj (encoder code coder encoded encoding coded coding) and c2 adj (encoder code coder encoded encoding coded coding)) ("c.sub.1" adj (encoder code coder encoded encoding coded coding) and "c.sub.2" adj (encoder code coder encoded encoding coded coding)) (inner adj (encoder code coder encoded encoding coded coding)) and (outer outter) adj (encoder code coder encoded encoded encoding coded coding) and (outer outter) adj (encoder code coder encoded encoding coded coding) and Q adj (encoder code coder encoded encoding coded coding)))).ab. and (correct\$3 near constant)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 17:12
L12	19	(generat\$3 with first with (error near (detect\$3 cod\$3))) and (generat\$3 with second with (error near (detect\$3 cod\$3))) and (((exclusive near "OR") "XOR") with first with second with error with cod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON .	2007/10/01 17:15
L13	3	(generat\$3 with first with (error near (detect\$3 cod\$3))) and (generat\$3 with second with (error near (detect\$3 cod\$3))) and (((exclusive near "OR") "XOR") with first with second with error with cod\$3).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/10/01 17:16

L14	10	(generat\$3 with first with (error near (detect\$3 cod\$3))) and (generat\$3 with second with (error near (detect\$3 cod\$3))) and (((exclusive near "OR") "XOR") with first with second with error with cod\$3).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 17:16
L15	2	"5935268".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 18:00
S1	390	(generat\$4 near (error adj detection adj cod\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/01 12:23
S2	392	(generat\$4 near (error adj detection adj cod\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 12:23
S3	20	(generat\$4 near (error adj detection adj cod\$3)) and ((main and sector) near data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/01/01 18:52
S4	6	(generat\$4 near (error adj detection adj cod\$3)) same ((main and sector) near data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 19:17
S5	8	(generat\$4 near (error adj detection adj cod\$3)) same ((main and sector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 19:16
S6	. 2	S5 not S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ÓΝ	2007/01/01 19:16
S7	. 2	(generat\$4 near (error adj detection adj cod\$3)) and (PEDC MEDC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 19:23

			•			
S8	91	(generat\$4 near (error adj detection adj cod\$3)) and (exclusive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 19:25
S9	9	((generat\$4 near (error adj detection adj cod\$3)) with ID) and (exclusive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 19:46
S11	8	(generat\$4 near (error adj detection adj cod\$3)) and (first with cod\$3 with main) and (second with cod\$3 with sector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 19:47
S12	9	((generat\$4 near (error adj detection adj cod\$3)) with ID) and (exclusive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/02 22:30
S13	13	(generat\$4 near (error adj detection adj cod\$3)) and (first with cod\$3 with main)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 13:39
S14	10	((generat\$4 calculat\$3) near error near cod\$3) with exclusive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 14:25
S15	5	((generat\$4 calculat\$3) near error near cod\$3) with exclusive with (first second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 14:07
S16	166	((generat\$4 calculat\$3) near error near cod\$3) with (first second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/01/03 14:08
S17	5	(((generat\$4 calculat\$3) near error near cod\$3) with (first second)) same exclusive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 14:08
S18	5	(((generat\$4 calculat\$3) near error near cod\$3) with (first second)) same (exclusive "XOR")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 14:20

S19	0	((appointed appointed 2)	LUC DODUD	00		2007/04/02 44 24
319	U	((generat\$4 calculat\$3) near error near cod\$3) with ((first near main) and (second near sector))	USPAT; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 14:21
520	1	((generat\$4 calculat\$3) near error near cod\$3) and ((first near main) and (second near sector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 14:51
S21	0	"10797007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/01/03 14:25
S22	1	"10/797007"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 14:25
S23	76	((generat\$4 calculat\$3) near error near cod\$3) with (first and second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 14:51
S24	8	(((generat\$4 calculat\$3) near error near cod\$3) with (first and second)). ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 15:17
S25	829	((generat\$4 calculat\$3) near ((error near cod\$3) parity)) with (first and second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 15:18
S26	6	((generat\$4 calculat\$3) near ((error near cod\$3) parity)) with ((first second) near (main sector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 15:42

S27	2002	(c1 adj (encoder code coder encoded encoding coded coding) and c2 adj (encoder code coder encoded encoding coded coding)) ("c.sub.1" adj (encoder code coder encoded encoding coded coding) and "c.sub.2" adj (encoder code coder encoded encoding coded coding)) (inner adj (encoder code coder encoded encoding coded coding)) (inner adj (encoder code coder encoded encoding coded coding) and (outer outter) adj (encoder code coder encoded encoding coded coding)) (P adj (encoder code coder encoded encoding coded coding) and Q adj (encoder code coder encoded encoding coded coding))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 15:42
S28	0	((c1 adj (encoder code coder encoded encoding coded coding) and c2 adj (encoder code coder encoded encoding coded coding)) ("c.sub.1" adj (encoder code coder encoded encoding coded coding) and "c.sub.2" adj (encoder code coder encoded encoding coded coding)) (inner adj (encoder code coder encoded encoding coded coding) and (outer outter) adj (encoder code coder coder coder encoded encoding coded coding)) (P adj (encoder code coder encoded encoding coded coding) and Q adj (encoder code coder encoded encoding coded coding))) and (first near parity near main) and (second near parity near sector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 15:43
S29	57	((c1 adj (encoder code coder encoded encoding coded coding) and c2 adj (encoder code coder encoded encoding coded coding)) ("c.sub.1" adj (encoder code coder encoded encoding coded coding) and "c.sub.2" adj (encoder code coder encoded encoding coded coding)) (inner adj (encoder code coder encoded encoding coded coding)) (inner adj (encoder code coder encoded encoding coded coding) and (outer outter) adj (encoder code coder code coder encoded encoding coded coding)) (P adj (encoder code coder encoded encoding coded coding)) and Q adj (encoder code coder encoded encoding coded coding))) and ((first second) near parity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 15:44

·			<b>5</b> .0.,			
S30	255	((c1 adj (encoder code coder encoded encoding coded coding) and c2 adj (encoder code coder encoded encoding coded coding)) ("c.sub.1" adj (encoder code coder encoded encoding coded coding) and "c.sub.2" adj (encoder code coder encoded encoding coded coding)) (inner adj (encoder code coder encoded encoding coded coding)) (inner adj (encoder code coder encoded encoding coded coding) and (outer outter) adj (encoder code coder encoded encoding coded coding)) (P adj (encoder code coder encoded encoding coded coding) and Q adj (encoder code coder encoded encoding coded coding))) and ((generat\$4 calculat\$3) near ((error near cod\$3) parity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 15:45
S31	51	((c1 adj (encoder code coder encoded encoding coded coding) and c2 adj (encoder code coder encoded encoding coded coding)) ("c.sub.1" adj (encoder code coder encoded encoding coded coding) and "c.sub.2" adj (encoder code coder encoded encoding coded coding)) (inner adj (encoder code coder encoded encoding coded coding)) (inner adj (encoder code coder encoded encoding coded coding) and (outer outter) adj (encoder code coder encoded encoding coded coding)) (P adj (encoder code coder encoded encoding coded coding)) and Q adj (encoder code coder encoded encoding coded coding))) and (((generat\$4 calculat\$3) near ((error near cod\$3) parity)) same (first and second))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 16:11
S32	0	(horizontal and veritcal) near parity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 16:12
S33	284	(horizontal and vertical) near parity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 16:22
S34	4	("6516435" "6601208").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 16:22

S35	1	"60453194"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 22:54
S36	0	"60/453194"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 22:54
S37	34	(error near cod\$3) with (first second) with (exclusive "XOR" "XORing")	US-PGPUB; USPAT; EPÓ; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 18:18
S38	20	(generat\$4 calculat\$3) with (error near cod\$3) with (first second) with (exclusive "XOR" "XORing")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 18:54
S39	2016	"optical recording method"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 18:54
S40	1197	"optical recording method".ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 18:54
S41	0	"optical recording method".ti. and 2/19/2004	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 18:55
S42	150	"optical recording method".ti. and "2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 18:55
S43	0	"optical recording method".ti. and "Feb." and "2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 18:55
S44		"optical recording method".ti. and "February" and "2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 18:55

ŗ			1			<del> </del>
S45	0	"optical recording method".ti. and "February 19, 2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 18:55
S46	0	(optical adj recording adj method).ti. and "February 19, 2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 18:56
S47	43	(optical adj recording adj method).ti. and (February "19", "2004").AY.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 18:57
S48	1	(optical adj recording adj method).ti. and (February "19", "2004").AY. and (chen and peng).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 18:57
S50	65	714/771.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/05 00:18
S53	1083	714/763.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 17:17
S54	1598	714/758.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 00:17
S55	109	714/768.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/01/05 00:17
S56	1	10/797007	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/05 17:17
S57	6380	(generat\$3 calculat\$3) near (error near (dectect\$3 correct\$3 cod\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 13:12

		,	-			
S58	6828	(generat\$3 calculat\$3) near (error near (dectect\$3 correct\$3 cod\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 13:14
S59	436	(generat\$3 calculat\$3) near (error near (dectect\$3 correct\$3 cod\$3)) with (first and second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 13:14
S60	11	(generat\$3 calculat\$3) near (error near (dectect\$3 correct\$3 cod\$3)) with (first and second) with ((main sector) near data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 13:33
S61	2	10/683362	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 13:34
S62	6	("4532629" "5299208" "6604220").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 13:43
S63	<b>Q</b>	((generat\$3 calculat\$3) adj (error near (detect\$3 correct\$3 cod\$3))) near (main and sector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 13:45
S64	55	((generat\$3 calculat\$3) adj (error near (detect\$3 correct\$3 cod\$3))) with (main sector) with (first second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:34
S65	14	((first second) near (generat\$3 calculat\$3) near (error near (detect\$3 correct\$3 cod\$3))) with (main sector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/06/21 13:46
S66	14	S65 not S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 13:46
S67	12	S66 not S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 13:46

( <del></del>			- -		1	
S68		S67 not S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON .	2007/06/21 13:47
S69	70	((generat\$3 calculat\$3) adj (error near (detect\$3 correct\$3 cod\$3))) with (main sector) with (first second C1 C2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:35
S70	4696	(first second C1 C2) near (error adj (detect\$3 correct\$3 cod\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:36
S71	303	(first second C1 C2) near (error adj (detect\$3 correct\$3 cod\$3)) with (main sector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:35
S72	2939	(first second C1 C2) adj (error adj (detect\$3 correct\$3 cod\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 20:25
S73	1622	(first adj error adj (detect\$3 correct\$3 cod\$3)) and (second adj error adj (detect\$3 correct\$3 cod\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 20:26
S74	132	((first adj error adj (detect\$3 correct\$3 cod\$3)) with (main sector)) and ((second adj error adj (detect\$3 correct\$3 cod\$3)) with (main sector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 20:27
S75	116	((first adj error adj (detect\$3 correct\$3 cod\$3)) with (main sector)) same ((second adj error adj (detect\$3 correct\$3 cod\$3)) with (main sector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 20:27
S76	6	((first adj error adj (detect\$3 correct\$3 cod\$3)) with (main sector)) same ((second adj error adj (detect\$3 correct\$3 cod\$3)) with (main sector)) same ("XOR" (exclusive adj "OR"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 20:28
S77	6	(((first adj error adj (detect\$3 correct\$3 cod\$3)) with (main sector)) same ((second adj error adj (detect\$3 correct\$3 cod\$3)) with (main sector))) same ("XOR" (exclusive adj "OR"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 21:02

			•			
S78	157	((first and second) (C1 and C2) (P1 and P2) (inner and outer)) with (error adj (cod\$3 detect\$3 correct\$3)) with ("XOR" (exclusive adj "OR"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/06/21 21:08
S79	493	((first and second) (C1 and C2) (P1 and P2) (inner and outer)) with ((error adj (cod\$3 detect\$3 correct\$3)) parity) with ("XOR" (exclusive adj "OR"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 21:10
S80	0	(((first and second) (C1 and C2) (P1 and P2) (inner and outer)) with ((error adj (cod\$3 detect\$3 correct\$3)) parity) with ("XOR" (exclusive adj "OR"))) same (main and sector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 21:09
S81	0	((((first and second) (C1 and C2) (P1 and P2) (inner and outer)) with ((error adj (cod\$3 detect\$3 correct\$3)) parity) with ("XOR" (exclusive adj "OR"))) same (main and sector)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/06/21 21:09
<b>582</b>	0	((((first and second) (C1 and C2) (P1 and P2) (inner and outer)) with ((error adj (cod\$3 detect\$3 correct\$3)) parity) with ("XOR" (exclusive adj "OR"))) same (main and sector)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 21:09
S83	41	((first and second) (C1 and C2) (P1 and P2) (inner and outer)) with ((error adj (cod\$3 detect\$3 correct\$3)) parity) with ("XOR" (exclusive adj "OR")).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 21:31
S84	41	(((first and second) (C1 and C2) (P1 and P2) (inner and outer)) with ((error adj (cod\$3 detect\$3 correct\$3)) parity) with ("XOR" (exclusive adj "OR"))).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 21:10
S85	191	(((first and second) (C1 and C2) (P1 and P2) (inner and outer)) with ((error adj (cod\$3 detect\$3 correct\$3)) parity) with ("XOR" (exclusive adj "OR"))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 21:10
S86	0	(generat\$ calculat\$3) with (error near detect\$4 near cod\$3) with (fist and second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON .	2007/06/21 21:32
S87	221	(generat\$ calculat\$3) with (error near detect\$4 near cod\$3) with (first and second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 21:32

						,
S88		(generat\$ calculat\$3) with (error near detect\$4 near cod\$3) with (first and second) with ("XOR" (exclusive adj "OR"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/06/21 21:33
S89	1725	714/758.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 22:27
S90	98	("5319395" "6249824" "5784366" "5909435" "5877742" "5303393" "5365516" "5526357" "5764691" "5894494" "5999562" "6072185" "6237122" "5507024" "5805155" "5848072" "6181609" "4455483" "5177796" "5274508" "5321699" "5386422" "5388074" "5469444" "5481531" "5506965" "5684774" "5841717" "5917429" "6178121" "6243348" "4415792" "4451108" "4502082" "4796260" "4972474" "5280584" "5377102" "5382508" "5440686" "5477492" "5511212" "5537945" "5561671" "5583975" "5657398" "5684693" "5724241" "5742509" "5831903" ).pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 16:41